

CARDBOARD V2


INDICATIONS



www.qrcardboard.com




















Lorem ipsum dolor sit amet. Volutpat ut sit duo qui. Diam odio est adipiscing sit.



2









INDICATIONS




www.qrcardboard.com

The following guidelines will help you create a correct print file.

Use the previous page as a base to place your graphics, in this way it will be easier to successfully create an executive file for printing. Eventually remove all bounding guidelines and logos contained in the guide layout areas except the bleeds (blue dotted line).

LEGEND LAYOUT



RESOLUTION

300 dpi in scale 1: 1

ACCEPTED FORMATS

JPG, TIFF, EPS, PSD, PDF, AI

COLOURS

All files must be submitted in CMYK.

The images in RGB or Pantone colours will be converted to CMYK.

FONT

The fonts must be embedded in PDF or converted to curves/dots.

CARDBOARD V2



www.qrcardboard.com

- "WWGC" mark released by Google that certifies the compatibility with all Google Cardboard Apps;
- 34 mm lenses, 45 mm focal breadth for a clear and limpid viewing;
- Velcro closure for an optimal adherence;
- Pre-assembled so no assembly needed;
- Anti-sweating system;

- Safe elastic band for an efficient smartphone holding;
- Conductive button as input clic;
- Configuration QR CODE;
- Rigid, resistant and sustainable cardboard;
- Reusable protective sleeve;
- Cardboard support elastic band (available on demand).

INSTRUCTIONS

